ELSEVIER

Journal of Ethnopharmacology 43 (1994) 225

Journal of ETHNO-PHARMACOLOGY

Author index

Volume 43 (1994)

Abdalla, A.A. 43, 141
Al-Hader, A.A. 43, 217
Al-Khazraji, S.M. 43, 167
Al-Shamaony, L. 43, 167
Alessi, A.C. 43, 45
Allen, J.W. 43, 73
Alvarenga, C.M.D. 43, 39
Amiri, M.H. 43, 141
Anderson, W.A. 43, 185
Aqel, M.B. 43, 217

Bah, M. 43, 19
Baldy-Moulinier, M. 43, 161
Banso, A. 43, 63
Bardisa, L. 43, 1
Bashir, A.K. 43, 141
Benencia, F. 43, 135
Bevevino, L.H. 43, 197, 203, 209
Bhavsar, G.C. 43, 31
Bikomo, E.O. 43, 13
Buckley, H. 43, 173
Bye, R. 43, 19

Cáceres, A. 43, 173
Carretero, E. 43, 9
Cassola, A.C. 43, 197
Castellano, F. 43, 157
Clark, B.F.C. 43, 125
Cooney, G. 43, 173
Coto, C.E. 43, 135
Coulombié, F.C. 43, 135
Courrèges, M.C. 43, 135

Daramola, S.O. 43, 185
De, S. 43, 31
de Castro, S.L. 43, 149
de Queiroz-Neto, A. 43, 45
Deharo, E. 43, 57

Floss, H.G. 43, 173
Fulgencio, S.F. 43, 179

Gartz, J. 43, 73
Gasquet, M. 43, 57
Girón, L. 43, 173
Grove, A. 43, 67

Hasan, Z.A. 43, 217
He, X. 43, 173
Higashi, K.O. 43, 149
Hutchings, A. 43, 89

Irobi, O.N. 43, 63, 185

Jardel, C. 43, 57

Lemonica, I.P. 43, 39
Liu, W.K. 43, 81

Mabry, T.J. 43, 67
Manns, J. 43, 173
Marcano, V. 43, 157
Martín, N. 43, 1
Martinez, L. 43, 157
Massouh, E.J. 43, 135
Mataqueiro, M.I. 43, 45
Mello Aires, M. 43, 203
Merlin, M.D. 43, 73
Mocek, U. 43, 173
Moo-Young, M. 43, 185
Morales Méndez, A. 43, 157
Moretti, C. 43, 57

Ng, J.C. 43, 67
Ng, T.B. 43, 81
Nguemby-Bina, C. 43, 161
Nicolau, M. 43, 179
N'gouemo, P. 43, 161

Obatomi, D.K. 43, 13
Oh, P. 43, 67
Osborne, R. 43, 67

Pantoja, C. 43, 1
Pereda-Miranda, R. 43, 19
Poli, A. 43, 179

Quezada, P. 43, 1

Rabetti, A.C. 43, 179
Rattan, S.I.S. 43, 125
Ravishankar, B. 43, 31
Ribeiro-do-Valle, R.M. 43, 179
Rocha, M.J.A. 43, 179

Salazar, F.J. 43, 157
Sanioto, S.M.L. 43, 197, 209
Santana, A.E. 43, 45
Sauvain, M. 43, 57
Seawright, A.A. 43, 67
Siebert, D.J. 43, 53
Simões, C.M.O. 43, 179
Slowing, K. 43, 9
Svendsen, L. 43, 125

Takihara, H. 43, 191
Tamaru, N. 43, 191
Temple, V.J. 43, 13
Timon David, P. 43, 57
Tsao, S.W. 43, 81
Twaij, H.A.A. 43, 167

Valenzuela, J. 43, 1
van Staden, J. 43, 89
Vargas, M. 43, 1
Vieira, F.S.A. 43, 197
Villar, A. 43, 9

Wasfi, I.A. 43, 141
Watanabe, K. 43, 191
Wilson, B.W. 43, 173

Yeung, H.W. 43, 81
Yoshida, M. 43, 191

0378-8741/94/$07.00 © 1994 Elsevier Science Ireland Ltd. All rights reserved

ELSEVIER

Journal of Ethnopharmacology 43 (1994) 227–230

Journal of ETHNO-PHARMACOLOGY

Subject index

Volume 43 (1994)

Abortive plant effects; Embryotoxicity; Teratogenicity **43**, 39

Acalypha torta; Anti-anaerobic bacterial activities; *Clostridium perfringens*; *Bacteriodes fragilis*; *Bacteriodes melaninogenicus*; *Clostridium chauvoei* **43**, 63

Achyrocline satureioides; Medicinal plants; Renal effects; *Portulaca pilosa*; Urinary Na and K excretion **43**, 179

African mistletoe; *Loranthus bengwensis*; Loranthaceae; Streptozotocin-induced diabetes; Anti-diabetic effect **43**, 13

Ageing; Garlic; Anti-ageing; Skin; Fibroblasts **43**, 125

Alloxan diabetic rabbits; Hyperglycemic effect; Insulin release; *Rosmarinus officinalis* **43**, 217

Andes; Fungi; Indoles **43**, 157

Anti-ageing; Garlic; Ageing; Skin; Fibroblasts **43**, 125

Anti-anaerobic bacterial activities; *Acalypha torta*; *Clostridium perfringens*, *Bacteriodes fragilis*; *Bacteriodes melaninogenicus*; *Clostridium chauvoei* **43**, 63

Anti-arrhythmic activity; Garlic dialysate; Isolated atria **43**, 1

Anti-diabetic effect; African mistletoe; *Loranthus bengwensis*; Loranthaceae; Streptozotocin-induced diabetes **43**, 13

Antidiuretic hormone; Folk medicine; Saponins; Frog skin **43**, 209

Anti-inflammatory; *Paederia foetida*; Rubiaceae; Cotton-pellet granuloma; Disease-modifying antirheumatic activity **43**, 31

Anti-inflammatory activity; *Eugenia jambos*; Extracts **43**, 9

Anti-inflammatory effect; *Melia azedarach*; Aqueous extract; Murine macrophages; Phagocytosis; Chemiluminescence **43**, 135

Antihypertensive and diuretic effects; Folk medicine; Saponins **43**, 197

Antimalarial activity; Cedronin; Quassinoids; *Simaba cedron*; Simaroubaceae **43**, 57

Antimicrobial activity; *Bridelia ferruginea*; *Candida albicans*; *Proteus mirabilis*; Chloramphenicol **43**, 185

Aqueous extract; *Melia azedarach*; Murine macrophages; Phagocytosis; Chemiluminescence; Anti-inflammatory effect **43**, 135

Arachidonic acid; Syosaiko-to; Saiboku-to; Prostacyclin (PGI_2); High performance liquid chromatography (HPLC) **43**, 191

Artemisia; Diabetes; Hypoglycaemic; Cholesterol; Triglyceride; Phospholipids **43**, 167

Asteraceae; Folk medicine; Ethnobotany; *Packera candidissima*; *Senecio candidissimus*; Pyrrolizidine alkaloids; Furanoeremophilane; Epineoadenostylone **43**, 19

Bacteriodes fragilis; Anti-anaerobic bacterial activities; *Acalypha torta*; *Clostridium perfringens*; *Bacteriodes melaninogenicus*; *Clostridium chauvoei* **43**, 63

Bacteriodes melaninogenicus; Anti-anaerobic bacterial activities; *Acalypha torta*; *Clostridium perfringens*; *Bacteriodes fragilis*; *Clostridium chauvoei* **43**, 63

Bridelia ferruginea; Antimicrobial activity; *Candida albicans*; *Proteus mirabilis*; Chloramphenicol **43**, 185

Candida albicans; Antimicrobial activity; *Bridelia ferruginea*; *Proteus mirabilis*; Chloramphenicol **43**, 185

Candida albicans; *Solanum nigrescens*; Spirostanol glycoside; *Cryptococcus neoformans*; Fab mass spectrometry **43**, 173

Cedronin; Quassinoids; Antimalarial activity; *Simaba cedron*; Simaroubaceae **43**, 57

Chemiluminescence; *Melia azedarach*; Aqueous extract; Murine macrophages; Phagocytosis; Anti-inflammatory effect **43**, 135

Chloramphenicol; Antimicrobial activity; *Bridelia ferruginea*; *Candida albicans*; *Proteus mirabilis* **43**, 185

Cholesterol; *Artemisia*; Diabetes; Hypoglycaemic; Triglyceride; Phospholipids **43**, 167

Clostridium chauvoei; Anti-anaerobic bacterial activities; *Acalypha torta*; *Clostridium perfringens*; *Bacteriodes fragilis*; *Bacteriodes melaninogenicus* **43**, 63

Clostridium perfringens; Anti-anaerobic bacterial activities; *Acalypha torta*; *Bacteriodes fragilis*; *Bacteriodes melaninogenicus*; *Clostridium chauvoei* **43**, 63

Conservation; Cycadales; Stangeriaceae; *Stangeria eriopus*; Medicinal plant **43**, 67

Convulsions; *Maprounea africana*; Leaves; Ethanolic extract; Hypothermia; Hypnosis; Rodents **43**, 161

Cotton-pellet granuloma; *Paederia foetida*; Rubiaceae; Anti-inflammatory; Disease-modifying antirheumatic activity **43**, 31

Cryptococcus neoformans; *Solanum nigrescens*; Spirostanol glycoside; *Candida albicans*; Fab mass spectrometry **43**, 173

Cucurbita maxima; Pumpkin; Toxicity **43**, 45

Cultivation; *Psilocybe samuiensis*; Psilocybin; Psilocin; Koh Samui; *Psilocybe* spp.; Psychoactive fungi **43**, 73

Cycadales; Stangeriaceae; *Stangeria eriopus*; Medicinal plant; Conservation **43**, 67

Diabetes; *Artemisia*; Hypoglycaemic; Cholesterol; Triglyceride; Phospholipids **43**, 167

Diabetes; *Rhazya stricta*; Glucose homeostasis; Rats; Streptozotocin **43**, 141

Disease-modifying antirheumatic activity; *Paederia foetida*; Rubiaceae; Anti-inflammatory; Cotton-pellet granuloma **43**, 31

Embryotoxicity; Abortive plant effects; Teratogenicity **43**, 39

Enzyme activities; Plant proteins; Hepatocyte culture; Morphology **43**, 81

Epineoadenostylone; Folk medicine; Ethnobotany; *Packera candidissima*; *Senecio candidissimus*; Asteraceae; Pyrrolizidine alkaloids; Furanoeremophilane **43**, 19

Ethanolic extract; *Maprounea africana*; Leaves; Hypothermia; Hypnosis; Convulsions; Rodents **43**, 161

Ethnobotany; Folk medicine; *Packera candidissima*; *Senecio candidissimus*; Asteraceae; Pyrrolizidine alkaloids; Furanoeremophilane; Epineoadenostylone **43**, 19

Ethnobotany; Headache; Inhalants; Potential therapeutic value; Xhosa; Zulu; Sotho **43**, 89

Eugenia jambos; Anti-inflammatory activity; Extracts **43**, 9

Extracts; *Eugenia jambos*; Anti-inflammatory activity **43**, 9

Fab mass spectrometry; *Solanum nigrescens*; Spirostanol glycoside; *Candida albicans*; *Cryptococcus neoformans* **43**, 173

Fibroblasts; Garlic; Ageing; Anti-ageing; Skin **43**, 125

Folk medicine; Ethnobotany; *Packera candidissima*; *Senecio candidissimus*; Asteraceae; Pyrrolizidine alkaloids; Furanoeremophilane; Epineoadenostylone **43**, 19

Folk medicine; Saponins; Antidiuretic hormone; Frog skin **43**, 209

Folk medicine; Saponins; Antihypertensive and diuretic effects **43**, 197

Folk medicine; Saponins; Renal tubular transport **43**, 203

Frog skin; Folk medicine; Saponins; Antidiuretic hormone **43**, 209

Fungi; Andes; Indoles **43**, 157

Furanoeremophilane; Folk medicine; Ethnobotany; *Packera candidissima*; *Senecio candidissimus*; Asteraceae; Pyrrolizidine alkaloids; Epineoadenostylone **43**, 19

Garlic Ageing; Anti-ageing; Skin; Fibroblasts **43**, 125

Garlic dialysate; Anti-arrhythmic activity; Isolated atria **43**, 1

Glucose homeostasis; *Rhazya stricta*; Rats; Streptozotocin; Diabetes **43**, 141

Rhazya stricta; Glucose homeostasis; Rats; Streptozotocin; Diabetes **43**, 141

Headache; Ethnobotany; Inhalants; Potential therapeutic value; Xhosa; Zulu; Sotho **43**, 89

Hepatocyte culture; Plant proteins; Enzyme activities; Morphology **43**, 81

High performance liquid chromatography (HPLC); Syosaiko-to; Saiboku-to; Arachidonic acid; Prostacyclin (PGI_2) **43**, 191

Hyperglycemic effect; Alloxan diabetic rabbits; Insulin release; *Rosmarinus officinalis* **43**, 217

Hypnosis; *Maprounea africana*; Leaves; Ethanolic extract; Hypothermia; Convulsions; Rodents **43**, 161

Hypoglycaemic; *Artemisia*; Diabetes; Cholesterol; Triglyceride; Phospholipids **43**, 167

Hypothermia; *Maprounea africana*; Leaves; Ethanolic extract; Hypnosis; Convulsions; Rodents **43**, 161

Indoles; Andes; Fungi **43**, 157

Inhalants; Headache; Ethnobotany; Potential therapeutic value; Xhosa; Zulu; Sotho **43**, 89

Insulin release; Alloxan diabetic rabbits; Hyperglycemic effect; *Rosmarinus officinalis* **43**, 217

Isolated atria; Garlic dialysate; Anti-arrhythmic activity **43**, 1

Koh Samui; *Psilocybe samuiensis*; Psilocybin; Psilocin; Cultivation; *Psilocybe* spp.; Psychoactive fungi **43**, 73

Leaves; *Maprounea africana*; Ethanolic extract; Hypothermia; Hypnosis; Convulsions; Rodents **43**, 161

Loranthaceae; African mistletoe; *Loranthus bengwensis*; Streptozotocin-induced diabetes; Anti-diabetic effect **43**, 13

Loranthus bengwensis; African mistletoe; Loranthaceae; Streptozotocin-induced diabetes; Anti-diabetic effect **43**, 13

Maprounea africana; Leaves; Ethanolic extract; Hypothermia; Hypnosis; Convulsions; Rodents **43**, 161

Medicinal plant; Cycadales; Stangeriaceae; *Stangeria eriopus*; Conservation **43**, 67

Medicinal plants; Renal effects; *Portulaca pilosa*; *Achyrocline satureioides*; Urinary Na and K excretion **43**, 179

Melia azedarach; Aqueous extract; Murine macrophages; Phagocytosis; Chemiluminescence; Anti-inflammatory effect **43**, 135

Morphology; Plant proteins; Hepatocyte culture; Enzyme activities **43**, 81

Murine macrophages; *Melia azedarach*; Aqueous extract; Phagocytosis; Chemiluminescence; Anti-inflammatory effect **43**, 135

Natural products; *Trypanosoma cruzi*; Propolis; Parasite-host cell interaction **43**, 149

Packera candidissima; Folk medicine; Ethnobotany; *Senecio candidissimus*; Asteraceae; Pyrrolizidine alkaloids; Furanoeremophilane; Epineoadenostylone **43**, 19

Puederia foetida; Rubiaceae; Anti-inflammatory; Cotton-pellet granuloma; Disease-modifying antirheumatic activity **43**, 31

Parasite-host cell interaction; *Trypanosoma cruzi*; Propolis; Natural products **43**, 149

Phagocytosis; *Melia azedarach*; Aqueous extract; Murine macrophages; Chemiluminescence; Anti-inflammatory effect **43**, 135

Phospholipids; *Artemisia*; Diabetes; Hypoglycaemic; Cholesterol; Triglyceride **43**, 167

Plant proteins; Hepatocyte culture; Enzyme activities; Morphology **43**, 81

Portulaca pilosa; Medicinal plants; Renal effects; *Achyrocline satureioides*; Urinary Na and K excretion **43**, 179

Potential therapeutic value; Headache; Ethnobotany; Inhalants; Xhosa; Zulu; Sotho **43**, 89

Propolis; *Trypanosoma cruzi*; Parasite-host cell interaction; Natural products **43**, 149

Prostacyclin (PGI_2); Syosaiko-to; Saiboku-to; Arachidonic acid; High performance liquid chromatography (HPLC) **43**, 191

Proteus mirabilis; Antimicrobial activity; *Bridelia ferruginea*; *Candida albicans*; Chloramphenicol **43**, 185

Psilocin; *Psilocybe samuiensis*; Psilocybin; Cultivation; Koh Samui; *Psilocybe* spp.; Psychoactive fungi **43**, 73

Psilocybe samuiensis; Psilocybin; Psilocin; Cultivation; Koh Samui; *Psilocybe* spp.; Psychoactive fungi **43**, 73

***Psilocybe* spp.**; *Psilocybe samuiensis*; Psilocybin; Psilocin; Cultivation; Koh Samui; Psychoactive fungi **43**, 73

Psilocybin; *Psilocybe samuiensis*; Psilocin; Cultivation; Koh Samui; *Psilocybe* spp.; Psychoactive fungi **43**, 73

Psychoactive compounds; *Salvia divinorum*; Salvinorin A; Psychoactive plants **43**, 53

Psychoactive fungi; *Psilocybe samuiensis*; Psilocybin; Psilocin; Cultivation; Koh Samui; *Psilocybe* spp. **43**, 73

Psychoactive plants; *Salvia divinorum*; Salvinorin A; Psychoactive compounds **43**, 53

Pumpkin; *Cucurbita maxima*; Toxicity **43**, 45

Pyrrolizidine alkaloids; Folk medicine; Ethnobotany; *Packera candidissima*; *Senecio candidissimus*; Asteraceae; Furanoeremophilane; Epineoadenostylone **43**, 19

Quassinoids; Cedronin; Antimalarial activity; *Simaba cedron*; Simaroubaceae **43**, 57

Rats; *Rhazya stricta*; Glucose homeostasis; Streptozotocin; Diabetes **43**, 141

Renal effects; Medicinal plants; *Portulaca pilosa*; *Achyrocline satureioides*; Urinary Na and K excretion **43**, 179

Renal tubular transport; Folk medicine; Saponins **43**, 203

Rodents; *Maprounea africana*; Leaves; Ethanolic extract; Hypothermia; Hypnosis; Convulsions **43**, 161

Rosmarinus officinalis; Alloxan diabetic rabbits; Hyperglycemic effect; Insulin release **43**, 217

Rubiaceae; *Paederia foetida*; Anti-inflammatory; Cotton-pellet granuloma; Disease-modifying antirheumatic activity **43**, 31

Saiboku-to; Syosaiko-to; Arachidonic acid; Prostacyclin (PGI_2); High performance liquid chromatography (HPLC) **43**, 191

Salvia divinorum; Salvinorin A; Psychoactive plants; Psychoactive compounds **43**, 53

Salvinorin A; *Salvia divinorum*; Psychoactive plants; Psychoactive compounds **43**, 53

Saponins; Folk medicine; Antidiuretic hormone; Frog skin **43**, 209

Saponins; Folk medicine; Antihypertensive and diuretic effects **43**, 197

Saponins; Folk medicine; Renal tubular transport **43**, 203

Senecio candidissimus; Folk medicine; Ethnobotany; *Packera candidissima*; Asteraceae; Pyrrolizidine alkaloids; Furanoeremophilane; Epineoadenostylone **43**, 19

Simaba cedron; Cedronin; Quassinoids; Antimalarial activity; Simaroubaceae **43**, 57

Simaroubaceae; Cedronin; Quassinoids; Antimalarial activity; *Simaba cedron* **43**, 57

Skin; Garlic; Ageing; Anti-ageing; Fibroblasts **43**, 125

Solanum nigrescens; Spirostanol glycoside; *Candida albicans*; *Cryptococcus neoformans*; Fab mass spectrometry **43**, 173

Sotho; Headache; Ethnobotany; Inhalants; Potential therapeutic value; Xhosa; Zulu **43**, 89

Spirostanol glycoside; *Solanum nigrescens*; *Candida albicans*; *Cryptococcus neoformans*; Fab mass spectrometry **43**, 173

Stangeria eriopus; Cycadales; Stangeriaceae; Medicinal plant; Conservation **43**, 67

Stangeriaceae; Cycadales; *Stangeria eriopus*; Medicinal plant; Conservation **43**, 67

Streptozotocin; *Rhazya stricta*; Glucose homeostasis; Rats; Diabetes **43**, 141

Streptozotocin-induced diabetes; African mistletoe; *Loranthus bengwensis*; Loranthaceae; Anti-diabetic effect **43**, 13

Syosaiko-to; Saiboku-to; Arachidonic acid; Prostacyclin (PGI_2); High performance liquid chromatography (HPLC) **43**, 191

Trypanosoma cruzi; Propolis; Parasite-host cell interaction; Natural products **43**, 149

Teratogenicity; Embryotoxicity; Abortive plant effects **43**, 39

Toxicity; Pumpkin; *Cucurbita maxima* **43**, 45

Triglyceride; *Artemisia*; Diabetes; Hypoglycaemic; Cholesterol; Phospholipids **43**, 167

Urinary Na and K excretion; Medicinal plants; Renal effects; *Portulaca pilosa*; *Achyrocline satureioides* **43**, 179

Xhosa; Headache; Ethnobotany; Inhalants; Potential therapeutic value; Zulu; Sotho **43**, 89

Zulu; Headache; Ethnobotany; Inhalants; Potential therapeutic value; Xhosa; Sotho **43**, 89